

CompSci 4

Chap 10

Nov 6, 2007

Prof. Susan Rodger




Lecture given by
Sam Slee



Announcements

- Assignment 6 is due today!
- Today
 - Chap 10 – variables and arrays

Review: Properties



- Where is the class?
- Where is the object?
- A class defines properties
- When an object is created it receives its own set of properties

State and Changing State

- State of object – each property stores info about the object
 - Example:
 - vehicle
 - isShowing
- State change



Class-level Variables

- New variables can be added to the properties of an object
 - class-level
- The value of the variable can be changed
 - The variable is **mutable**.
 - Can be used to track state changes.



Inheritance

- If an object (and its new variable) are saved out and given a new name, a new class is created.
 - This is inheritance!
 - The new class **inherits** all properties and methods of original class.
 - Did this before by adding new methods to a class and saving it out.

What is an array?

- An **array** is a collection of objects or information organized in a specific order
- The individual components (elements) are of the same type (all object or all number, etc.)
- Analogy – Music CD
 - Collection of songs listed in order
 - CD player allows you to
 - Play songs in order
 - Play songs by specifying its number
 - Play songs in random order

Arrays in Alice

- In Alice, array is a data structure to organize objects or information
- An array is not visible, it is a way of organizing
- But....
 - Alice has a 3D model to help you “see” the array




Example – Create a visualization of an array of people

- Add 5 people to the world
- Add an array visualization
- Not an array yet, must add people to the array
- Positions in array numbered starting with 0




Initialize array - Add Alice to Array in position 0

- Alice automatically moves to the 0 position!



Add Soldier to the Array

- Soldier moves automatically to position 1 (which is the 2nd position)!



Add RandomGuy, Skater and Rockette

- The array initialization is complete!




- Set isVisible for arrayVisualization to false
 - Array not seen




Accessing elements in an array

- Can specify an element at a particular location in the array




Repeat for all items in the array – in order

- Use “loop” – complicated version
- Note: index in loop is used in body
- What does this do?



- What does this do?



Array vs. List

- Array
 - Elements are ordered
 - Can access a particular element – 3
 - Use “Loop” - loop over elements – one at a time, OR every second element, etc
- List
 - Elements are not ordered
 - Use “For all in order”, “For all together” – does something to each element in the list – just don’t know the order this occurs

Swapping two elements in the array

- Swap the objects at positions 0 (fanDancer) and 3 (duckPrince)
- Add in an ObjectVisualization, this is like a variable for an object. (same folder where ArrayVisualization is)



Swapping objects at 0 and 3 (cont)

- Only one element at a time can be in a slot in the array. To swap two elements, you have to move one of them out temporarily.
- Move object at index 0 to objectVisualization (this frees up slot 0)



Swapping objects at 0 and 3 (cont)

- Now you can move the item in slot 3 over to slot 0 (note the duckPrince moved over)
- Now slot 3 is empty




Swapping objects at 0 and 3 (cont)

- Now move the object that was originally in slot 0 and was saved temporarily in the ObjectVisualization, over to slot 3



Setting elements in array

- Objects in an array are called **elements**
- Use “let” to set a position in an array
- Using “let”:



let ArrayVisualization [0] = the value at ArrayVisualization [3] more...

Don't do this if there is already something in position 0! Move the item first!

Swapping objects at 0 and 3 (code)

- Here is the code that corresponds to the swapping of the items in slots 0 and 3.

```
let ObjectVisualization = the value at ArrayVisualization [ 0 ] more...  
let ArrayVisualization [ 0 ] = the value at ArrayVisualization [ 3 ] more...  
let ArrayVisualization [ 3 ] = the value of ObjectVisualization more...
```

Shuffle the array

- For each item in the array, swap it randomly with another object

SelectionSort the array

- Find the position of the shortest object
 - Swap that object with the object in position 0
- Find the position of the next shortest object
 - Swap that object with the object in position 1
- Etc.... Until the array is sorted.

Classwork Today

- Shuffle Array
- Sort Array

