

SQL: Programming

CPS 116
Introduction to Database Systems

2

Announcements (Thu. Nov. 3)

- ❖ Homework #3 due next Tuesday
- ❖ Project milestone #2 due next Thursday

3

Motivation

- ❖ Pros and cons of SQL
 - Very high-level, possible to optimize
 - Not intended for general-purpose computation
- ❖ Solutions
 - Augment SQL with constructs from general-purpose programming languages
 - E.g.: SQL/PSM
 - Use SQL together with general-purpose programming languages
 - E.g.: JDBC, embedded SQL
 - Extend general-purpose programming languages with SQL-like constructs
 - E.g.: LINQ (Language Integrated Query for .NET), HQL (Hibernate Query Language)

Impedance mismatch and a solution ⁴

- ❖ SQL operates on a set of records at a time
- ❖ Typical low-level general-purpose programming languages operates on one record at a time
- ☞ Solution: cursor
 - Open (a result table): position the cursor before the first row
 - Get next: move the cursor to the next row and return that row; raise a flag if there is no such row
 - Close: clean up and release DBMS resources
- ☞ Found in virtually every database language/API
 - With slightly different syntaxes
- ☞ Some support more positioning and movement options, modification at the current position, etc.

Augmenting SQL: SQL/PSM ⁵

- ❖ PSM = Persistent Stored Modules
- ❖ CREATE PROCEDURE *proc_name* (*parameter_declarations*)
local_declarations
procedure_body;
- ❖ CREATE FUNCTION *func_name* (*parameter_declarations*)
RETURNS *return_type*
local_declarations
procedure_body;
- ❖ CALL *proc_name* (*parameters*);
- ❖ Inside procedure body:
SET *variable* = CALL *func_name* (*parameters*);

SQL/PSM example ⁶

```
CREATE FUNCTION SetMaxGPA(IN newMaxGPA FLOAT)
  RETURNS INT
  -- Enforce newMaxGPA; return number of rows modified.
BEGIN
  DECLARE rowsUpdated INT DEFAULT 0;
  DECLARE thisGPA FLOAT;
  -- A cursor to range over all students:
  DECLARE studentCursor CURSOR FOR
    SELECT GPA FROM Student
  FOR UPDATE;
  -- Set a flag whenever there is a "not found" exception:
  DECLARE noMoreRows INT DEFAULT 0;
  DECLARE CONTINUE HANDLER FOR NOT FOUND
    SET noMoreRows = 1;
  ... (see next slide) ...
  RETURN rowsUpdated;
END
```

SQL/PSM example continued ⁷

```
-- Fetch the first result row:
OPEN studentCursor;
FETCH FROM studentCursor INTO thisGPA;
-- Loop over all result rows:
WHILE noMoreRows <> 1 DO
  IF thisGPA > newMaxGPA THEN
    -- Enforce newMaxGPA:
    UPDATE Student SET Student.GPA = newMaxGPA
    WHERE CURRENT OF studentCursor;
    -- Update count:
    SET rowsUpdated = rowsUpdated + 1;
  END IF;
  -- Fetch the next result row:
  FETCH FROM studentCursor INTO thisGPA;
END WHILE;
CLOSE studentCursor;
```

Other SQL/PSM features ⁸

- ❖ Assignment using scalar query results
 - SELECT INTO
- ❖ Other loop constructs
 - FOR, REPEAT UNTIL, LOOP
- ❖ Flow control
 - GOTO
- ❖ Exceptions
 - SIGNAL, RESIGNAL
- ...
- ❖ For more PostgreSQL-specific information, look for “PL/pgSQL” in PostgreSQL documentation
 - Link available from course website (under Programming Notes: PostgreSQL Notes)

Interfacing SQL with another language ⁹

- ❖ API approach
 - SQL commands are sent to the DBMS at runtime
 - Examples: JDBC, ODBC (C/C++/VB), Python DB API
 - These APIs are all based on the SQL/CLI (Call-Level Interface) standard
- ❖ Embedded SQL approach
 - SQL commands are embedded in application code
 - A precompiler checks these commands at compile-time and converts them into DBMS-specific API calls
 - Examples: embedded SQL for C/C++, SQLJ (for Java)

Example API: JDBC

10

- ❖ JDBC (Java DataBase Connectivity) is an API that allows a Java program to access databases

```
// Use the JDBC package:
import java.sql.*;
...
public class ... {
    ...
    static {
        // Load the JDBC driver:
        try {
            Class.forName("org.postgresql.Driver");
        } catch (ClassNotFoundException e) {
            ...
        }
    }
    ...
}
❖ Not very nice since it ties your code to a particular DBMS
❖ Best if you load it from a properties file
❖ Or, for web apps, use a JNDI DataSource (see course website: Programming Notes: Tomcat Notes)
```

Connections

11

```
// Connection URL is a DBMS-specific string:
String url =
    "jdbc:postgresql://localhost/ubuntudb"; // name of the database
// Making a connection:
Properties props = new Properties();
props.setProperty("user", "ubuntu");
props.setProperty("password", "reverse");
Connection con =
    DriverManager.getConnection(url, user, password);
...
// Closing a connection:
con.close();
❖ For clarity we are ignoring exception handling here
❖ Again, in practice you should avoid hard-coding DBMS-specific things (see previous slide)
```

Statements

12

```
// Create an object for sending SQL statements:
Statement stmt = con.createStatement();
// Execute a query and get its results:
ResultSet rs =
    stmt.executeQuery("SELECT SID, name FROM Student");
// Work on the results:
...
// Execute a modification (returns the number of rows affected):
int rowsUpdated =
    stmt.executeUpdate
        ("UPDATE Student SET name = 'Barney' WHERE SID = 142");
// Close the statement:
stmt.close();
```

Query results

13

```
// Execute a query and get its results:
ResultSet rs =
    stmt.executeQuery("SELECT SID, name FROM Student");
// Loop through all result rows:
while (rs.next()) {
    // Get column values:
    int sid = rs.getInt(1);
    String name = rs.getString(2);
    // Work on sid and name:
    ...
}
// Close the ResultSet:
rs.close();
```

Other ResultSet features

14

- ❖ Move the cursor (pointing to the current row) backwards and forwards, or position it anywhere within the `ResultSet`
- ❖ Update/delete the database row corresponding to the current result row, or insert a row into the database
 - Possible only when there is a clear 1-1 correspondence between the change and a row in the underlying table
 - Analogous to the view update problem
 - Covered in the lecture on SQL views
- ❖ Obtain metadata: `rs.getMetaData()` returns a `ResultSetMetaData` object describing the output table schema (number, order, names, types of columns, etc.)

Prepared statements: motivation

15

```
Statement stmt = con.createStatement();
for (int age=0; age<100; age+=10) {
    ResultSet rs = stmt.executeQuery
        ("SELECT AVG(GPA) FROM Student" +
         " WHERE age >= " + age + " AND age < " + (age+10));
    // Work on the results:
    ...
}
```

- ❖ Every time an SQL string is sent to the DBMS, the DBMS must perform parsing, semantic analysis, optimization, compilation, and then finally execution
- ❖ These costs are incurred 10 times in the above example
- ❖ A typical application issues many queries with a small number of patterns (with different parameter values)

Prepared statements: syntax

16

```
// Prepare the statement, using ? as placeholders for actual parameters:
PreparedStatement stmt = con.prepareStatement
("SELECT AVG(GPA) FROM Student WHERE age >= ? AND age < ?");
for (int age=0; age<100; age+=10) {
    // Set actual parameter values:
    stmt.setInt(1, age);
    stmt.setInt(2, age+10);
    ResultSet rs = stmt.executeQuery();
    // Work on the results:
    ...
}
```

- ❖ The DBMS performs parsing, semantic analysis, optimization, and compilation only once, when it “prepares” the statement
- ❖ At execution time, the DBMS only needs to check parameter types and validate the compiled execution plan

Odds and ends of JDBC

17

- ❖ Most methods can throw `SQLException`
 - Make sure your code catches them
 - Remember to close `Statement`, `ResultSet`, etc., in `finally` block
 - `getSQLState()` returns the standard SQL error code
 - `getMessage()` returns the error message
- ❖ `DataSource` interface for establishing connections
- ❖ Methods for examining metadata in databases
- ❖ Methods to retrieve the value of a column for all result rows into an array without calling `ResultSet.next()` in a loop
- ❖ Methods to construct/execute a batch of SQL statements
- ...
- ☞ For additional information and example code, see course website: Programming Notes: JDBC Notes

A note on JDBC drivers

18

- ❖ Type I (bridge): translate JDBC calls to standard API not native to DBMS
 - E.g.: JDBC-ODBC bridge
 - Driver is easy to build using existing standard APIs
 - Extra layer of API adds overhead
- ❖ Type II (native API, partly Java): translates JDBC calls to DBMS-specific client API
 - DBMS-specific non-Java client library needs to be installed on each client
 - Good performance
- ❖ Type III (network bridge): sends JDBC requests to a middleware server which in turn communicates with a database
 - Client JDBC driver is completely Java, easy to build, and does not need to be DBMS-specific
 - Middleware adds translation overhead
- ❖ Type IV (native protocol, full Java): converts JDBC requests directly to native network protocol of the DBMS
 - Client JDBC driver is completely Java but is also DBMS-specific
 - Good performance
 - Supported by, e.g., `org.postgresql.Driver`

Embedded C example

19

```
...
/* Declare variables to be "shared" between the application
and the DBMS: */
EXEC SQL BEGIN DECLARE SECTION;
int thisSID; float thisGPA;
EXEC SQL END DECLARE SECTION;
/* Declare a cursor: */
EXEC SQL DECLARE CPS116Student CURSOR FOR
SELECT SID, GPA FROM Student
WHERE SID IN
(SELECT SID FROM Enroll WHERE CID = 'CPS116')
FOR UPDATE;
...
```

Embedded C example continued

20

```
/* Open the cursor: */
EXEC SQL OPEN CPS116Student;
/* Specify exit condition: */
EXEC SQL WHENEVER NOT FOUND DO break;
/* Loop through result rows: */
while (1) {
/* Get column values for the current row: */
EXEC SQL FETCH CPS116Student INTO :thisSID, :thisGPA;
printf("SID %d: current GPA is %f\n", thisSID, thisGPA);
/* Update GPA: */
printf("Enter new GPA: ");
scanf("%f", &thisGPA);
EXEC SQL UPDATE Student SET GPA = :thisGPA
WHERE CURRENT OF CPS116Student;
}
/* Close the cursor: */
EXEC SQL CLOSE CPS116Student;
```

Pros and cons of embedded SQL (vs. API)

21

❖ Pros

❖ Cons

- DBMS-specific
 - Vendors have different precompilers which translate code into different native APIs
 - Application executable is not portable (although code is)
 - Application cannot talk to different DBMS at the same time

Pros and cons of augmenting SQL 22

❖ Cons

- Already too many programming languages
- SQL is already too big

❖ Pros

Making a language SQL-like? 23

❖ E.g.: LINQ (for C#), HQL (for Java/Hibernate)

❖ Example LINQ code (from Wiki)

```
int someValue = 5;
var results = from c in someCollection
              let x = someValue * 2
              where c.SomeProperty < x
              select new {c.SomeProperty, c.OtherProperty};
foreach (var result in results) {
    Console.WriteLine(result);
}
```

❖ Automatic data mapping and query translation

❖ But a different syntax for each host language?
