

Relational Database Design: Part I

Introduction to Databases
CompSci 316 Fall 2016



Announcements (Tue. Sep. 6)

- Jun out of town this week
 - Thursday: Yuhao will walk through VM setup
- Homework #1 due in two weeks
 - Get started early!
- Instructions on Google Cloud credits emailed
 - Need be registered to receive the credit
 - Ask a private question on Piazza if you haven't received the email
- More details on the course project available next week

Relational model: review

- A database is a collection of **relations** (or **tables**)
- Each relation has a set of **attributes** (or **columns**)
- Each attribute has a name and a **domain** (or **type**)
- Each relation contains a set of **tuples** (or **rows**)

Keys

- A set of attributes K is a **key** for a relation R if
 - In no instance of R will two different tuples agree on all attributes of K
 - That is, K can serve as a “**tuple identifier**”
 - No proper subset of K satisfies the above condition
 - That is, K is **minimal**
- Example: *User* (uid , $name$, age , pop)
 - uid is a key of *User*
 - age is not a key (not an identifier)
 - $\{uid, name\}$ is not a key (not minimal)

Schema vs. instance

<i>uid</i>	<i>name</i>	<i>age</i>	<i>pop</i>
142	Bart	10	0.9
123	Milhouse	10	0.2
857	Lisa	8	0.7
456	Ralph	8	0.3

- Is *name* a key of *User*?
- Key declarations are part of the schema

More examples of keys

- *Member* (uid , gid)
 - ☞ A key can contain multiple attributes
- *Address* ($street_address$, $city$, $state$, zip)
 - ☞ A relation can have multiple keys!
 - We typically pick one as the “primary” key, and underline all its attributes, e.g., *Address* ($street_address$, $city$, $state$, zip)

Use of keys

- More constraints on data, fewer mistakes
- Look up a row by its key value
 - Many selection conditions are “key = value”
- “Pointers” to other rows (often across tables)
 - Example: *Member* (*uid*, *gid*)
 - *uid* is a key of *User*
 - *gid* is a key of *Group*
 - A *Member* row “links” a *User* row with a *Group* row
 - Many join conditions are “key = key value stored in another table”

Database design

- Understand the real-world domain being modeled
- Specify it using a database **design model**
 - More intuitive and convenient for schema design
 - But not necessarily implemented by DBMS
 - A few popular ones:
 - Entity/Relationship (E/R) model
 - Object Definition Language (ODL)
 - UML (Unified Modeling Language)
- Translate specification to the data model of DBMS
 - Relational, XML, object-oriented, etc.
- Create DBMS schema

But what about ORM?

- Automatic **object-relational mappers** are made popular by rapid Web development frameworks
 - For example, with Python SQLAlchemy:
 - You declare Python classes and their relationships
 - It automatically converts them into database tables
 - If you want, you can just work with Python objects, and never need to be aware of the database schema or write SQL
- But you still need designer discretion in all but simple cases
- Each language/library has its own syntax for creating schema and for querying/modifying data
 - Quirks and limitations cause portability problems
 - They are not necessarily easier to learn than SQL

10


Entity-relationship (E/R) model

- Historically and still very popular
- Concepts applicable to other design models as well
- Can think of as a “watered-down” object-oriented design model
- Primarily a design model—not directly implemented by DBMS
- Designs represented by E/R diagrams
 - We use the style of E/R diagram covered by the GMUW book; there are other styles/extensions
 - Very similar to UML diagrams

11

E/R basics


- **Entity**: a “thing,” like an object
- **Entity set**: a collection of things of the same type, like a relation of tuples or a class of objects
 - Represented as a rectangle
- **Relationship**: an association among entities
- **Relationship set**: a set of relationships of the same type (among same entity sets)
 - Represented as a diamond
- **Attributes**: properties of entities or relationships, like attributes of tuples or objects
 - Represented as ovals



12

An example E/R diagram

- Users are members of groups



- A key of an entity set is represented by underlining all attributes in the key
 - A key is a set of attributes whose values can belong to at most one entity in an entity set—like a key of a relation

Attributes of relationships

• Example: a user belongs to a group since a particular date

• Where do the dates go?

- With Users?
- With Groups?
- With IsMemberOf!

More on relationships

- There could be multiple relationship sets between the same entity sets
 - Example: *Users IsMemberOf Groups; Users Likes Groups*
- In a relationship set, each relationship is uniquely identified by the entities it connects
 - Example: Between Bart and “Dead Putting Society”, there can be at most one *IsMemberOf* relationship and at most one *Likes* relationship
 - ☞ What if Bart joins DPS, leaves, and rejoins? How can we modify the design to capture historical membership information?

Multiplicity of relationships

- E and F : entity sets
- **Many-many**: Each entity in E is related to 0 or more entities in F and vice versa
 - Example:
- **Many-one**: Each entity in E is related to 0 or 1 entity in F , but each entity in F is related to 0 or more in E
 - Example:
- **One-one**: Each entity in E is related to 0 or 1 entity in F and vice versa
 - Example:

- “One” (0 or 1) is represented by an arrow \rightarrow
- “Exactly one” is represented by a rounded arrow \curvearrowright

Roles in relationships

- An entity set may participate more than once in a relationship set
- ☞ May need to label edges to distinguish **roles**
- Examples
 - Users may be parents of others; label needed
 - Users may be friends of each other; label not needed

n-ary relationships

- Example: a user must have an initiator in order to join a group

Rule for interpreting an arrow into entity set E in an n -ary relationship:

- Pick one entity from each of the other entity sets; together they can be related to at most one entity in E
- Exercise: hypothetically, what do these arrows imply?

n-ary versus binary relationships

- Can we model n -ary relationships using just binary relationships?

- No; for example:
 - Ralph is in both abc and gov
 - Lisa has served as initiator in both abc and gov
 - Ralph was initiated by Lisa in abc, but not by her in gov

19

Next: two special relationships

... is part of/belongs to ...

... is a kind of ...

<http://blogs.library.duke.edu/renovation/files/2012/08/Rubenstein-Library-First-Floor-Floorplan.jpg>
<http://www.sharky-jones.com/SharkyJones/Artwork/taxonomy120artwork/Class1.jpg>

20

Weak entity sets

Sometimes, an entity's identity depends on some others'

- The key of a **weak entity set** E comes not completely from its own attributes, but from the keys of one or more other entity sets
 - E must link to them via many-one or one-one relationship sets
- Example: Rooms inside Buildings are partly identified by Buildings' name
- A weak entity set is drawn as a double rectangle
- The relationship sets through which it obtains its key are called **supporting relationship sets**, drawn as double diamonds

21

Weak entity set examples

- Seats in rooms in building

- Why must double diamonds be many-one/one-one?
 - With many-many, we would not know which entity provides the key value!

Remodeling n -ary relationships

- An n -ary relationship set can be replaced by a weak entity set (called a **connecting entity set**) and n binary relationship sets

Note that the multiplicity constraint for *IsMemberOf* is lost

ISA relationships

- Similar to the idea of subclasses in object-oriented programming: subclass = special case, fewer entities, and possibly more properties
 - Represented as a triangle (direction is important)
- Example: paid users are users, but they also get avatars (yay!)

Automatically "inherits" key, attributes, relationships


Summary of E/R concepts

- Entity sets
 - Keys
 - Weak entity sets
- Relationship sets
 - Attributes of relationships
 - Multiplicity
 - Roles
 - Binary versus n -ary relationships
 - Modeling n -ary relationships with weak entity sets and binary relationships
 - ISA relationships


Case study 1

- Design a database representing cities, counties, and states
 - For states, record name and capital (city)
 - For counties, record name, area, and location (state)
 - For cities, record name, population, and location (county and state)
- Assume the following:
 - Names of states are unique
 - Names of counties are only unique within a state
 - Names of cities are only unique within a county
 - A city is always located in a single county
 - A county is always located in a single state

Case study 1: first design



Case study 1: second design




- Technically, nothing in this design prevents a city in state *X* from being the capital of another state *Y*, but oh well...


Case study 2

- Design a database consistent with the following:
 - A station has a unique name and an address, and is either an express station or a local station
 - A train has a unique number and an engineer, and is either an express train or a local train
 - A local train can stop at any station
 - An express train only stops at express stations
 - A train can stop at a station for any number of times during a day
 - Train schedules are the same everyday

Case study 2: first design



Case study 2: second design



Is the extra complexity worth it?
