


Announcements (February 10)

- * Reading assignments
 - Query processing survey (due next Monday)
- ❖ Homework #2 will be assigned this Thursday
- * Recitation session this Friday
- ❖ Midterm and course project proposal in 3½ weeks



Performance of static hashing

- * Depends on the quality of the hash function!
 - Best (hopefully average) case: one I/O!
 - Worst case: all keys hashed into one bucket!
 - See Knuth vol. 3 for good hash functions
- * Rule of thumb: keep utilization at 50%-80%
- How do we cope with growth?
 - Extensible hashing
 - Linear hashing

Extensible hashing (TODS 1979)


❖ Idea 1: use *i* bits of output by hash function and dynamically increase i as needed

b(k) 0 1 1 0 1 0 1 1


- Problem: ++i = double the number of buckets!
- ❖ Idea 2: use a directory
 - Just double the directory size
 - Many directory entries can point to the same bucket
 - Only split overflowed buckets
 - "One more level of indirection solves everything!"


Extensible hashing example (slide 1)


• Insert k with b(k) = 0101





- ❖ Bucket too full?
 - ++local depth, split bucket, and ++global depth (double the directory size) if necessary
 - Allowing some overflow is fine too























Hashing versus B-trees

- Hashing is faster on average, but the worst case can be really bad
- ❖ B-trees provide performance guarantees, and they are not that tall in practice
- Hashing destroys order!
- * B-trees provide order and support range queries