

# XSLT

CPS 216  
Advanced Database Systems

---

---

---

---

---

---

---

---

## Announcements (March 24)

2

- ❖ Homework #3 will be assigned next Tuesday
- ❖ Reading assignment due next Wednesday
  - XML processing in Lore (*VLDB* 1999) and Niagara (*VLDB* 2003)
- ❖ Project milestone 2 due next Thursday

---

---

---

---

---

---


---

---

## XSLT

3

- ❖ XML-to-XML rule-based transformation language
- ❖ An XSLT program is an XML document itself
- ❖ Used most frequently as a stylesheet language
- ❖ Version 1.0 a W3C recommendation
- ❖ Version 2.0 under development together with XPath 2.0



Actually, output does not need to be in XML in general

---

---

---

---

---

---

---

---

## XSLT program

4

- ❖ An XSLT program is an XML document containing
  - Elements in the `<xsl:*` namespace
  - Elements in user namespace
- ❖ The result of evaluating an XSLT program on an input XML document = the XSLT document where each `<xsl:*` element has been replaced with the result of its evaluation
- ❖ Uses XPath as a sub-language

---

---

---

---

---

---

---

---

## XSLT elements

5

- ❖ Element describing transformation rules
  - `<xsl:template>`
- ❖ Elements describing rule execution control
  - `<xsl:apply-templates>`
  - `<xsl:call-template>`
- ❖ Elements describing instructions
  - `<xsl:if>`, `<xsl:for-each>`, `<xsl:sort>`, etc.
- ❖ Elements generating output
  - `<xsl:value-of>`, `<xsl:attribute>`, `<xsl:copy-of>`, `<xsl:text>`, etc.

---

---

---

---

---

---

---

---

## XSLT example

6

- ❖ Find titles of books authored by “Abiteboul”

```
<?xml version="1.0"?> Standard header of an XSLT document
<xsl:stylesheet
  xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
  version="2.0">
<xsl:template match="book[author='Abiteboul']">
  <booktitle>
    <xsl:value-of select="title"/>
  </booktitle>
</xsl:template>
</xsl:stylesheet>
```
- ❖ Not quite; we will see why later

---

---

---

---

---

---

---

---

## <xsl:template>

7

```
<xsl:template match="book[author='Abiteboul']">
  <booktitle>
    <xsl:value-of select="title"/>
  </booktitle>
</xsl:template>
```

- ❖ `<xsl:template match="match_expr">` is the basic XSLT construct describing a transformation rule
  - `match_expr` is an XPath-like expression specifying which nodes this rule applies to
- ❖ `<xsl:value-of select="xpath_expr"/>` evaluates `xpath_expr` within the context of the node matching the template, and converts the result sequence to a string
- ❖ `<booktitle>` and `</booktitle>` simply get copied to the output for each node match

---

---

---

---

---

---

---

---

---

---

## Template in action

8

```
<xsl:template match="book[author='Abiteboul']">
  <booktitle>
    <xsl:value-of select="title"/>
  </booktitle>
</xsl:template>
```

### ❖ Example XML fragment

```
<book ISBN="ISBN-10" price="80.00">
  <title>Foundations of Databases</title>
  <author>Abiteboul</author>
  <author>Hull</author>
  <author>Vianu</author>
  <publisher>Addison Wesley</publisher>
  <year>1995</year>
</book>
<book ISBN="ISBN-20" price="40.00">
  <title>A First Course in Databases</title>
  <author>Ullman</author>
  <author>Widom</author>
  <publisher>Prentice-Hall</publisher>
  <year>2002</year>
</book>
```

Template applies

```
<booktitle>
  Foundations of Databases
</booktitle>
```

Template does not apply;  
default behavior is to process the  
node recursively and print out all

```
text nodes
  A First Course in Databases
  Ullman
  Widom
  Prentice-Hall
  2002
  --
```

---

---

---

---

---

---

---

---

---

---

## Removing the extra output

9

- ❖ Add the following template:

```
<xsl:template match="text()|@*" />
```

- ❖ This template matches all text and attributes
- ❖ XPath features
  - `text()` is a node test that matches any text node
  - `@*` matches any attribute
  - `|` means "or" in XPath
- ❖ Body of the rule is empty, so all text and attributes become empty string
  - This rule effectively filters out things not matched by the other rule

---

---

---

---

---

---

---

---

---

---

## <xsl:attribute>

- ❖ Again, find titles of books authored by “Abiteboul”; but make the output look like `<book title="booktitle"/>`

```
...
<xsl:template match="book[author='Abiteboul']">
  <book title="{normalize-space(title)}/>
</xsl:template>
...

```

- ❖ A more general method

```
...
<xsl:template match="book[author='Abiteboul']">
  <book>
    <xsl:attribute name="title">
      <xsl:value-of select="normalize-space(title)"/>
    </xsl:attribute>
  </book>
</xsl:template>
...

```

`<xsl:attribute name="attr">body</xsl:attribute>` adds an attributed named *attr* with value *body* to the parent element in the output

---

---

---

---

---

---

---

---

---

---

## <xsl:copy-of>

- ❖ Another slightly different example: return (entire) books authored by “Abiteboul”

```
<?xml version="1.0">
<xsl:stylesheet
  xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
  version="2.0">
  <xsl:template match="text()|@*" />
  <xsl:template match="book[author='Abiteboul']">
    <xsl:copy-of select="."/>
  </xsl:template>
</xsl:stylesheet>

```

- ❖ `<xsl:copy-of select="xpath_expr"/>` copies the entire contents (including tag structures) of the node-set returned by *xpath\_expr* to the output

---

---

---

---

---

---

---

---

---

---

## Formatting XML into HTML

- ❖ Example templates to

- Render a book title in italics in HTML
- Render the authors as a comma-separated list

```
<xsl:template match="book/title">
  <i><xsl:value-of select="normalize-space(.)"/></i>
</xsl:template>
<xsl:template match="book/author[1]">
  <xsl:value-of select="normalize-space(.)"/>
</xsl:template>
<xsl:template match="book/author[position()>1]">
  <xsl:text>, </xsl:text>
  <xsl:value-of select="normalize-space(.)"/>
</xsl:template>

```

- ❖ `<xsl:text>` allows precise control of white space in output

---

---

---

---

---

---

---

---

---

---

## <xsl:apply-templates>

13

### ❖ Example: generate a table of contents

- Display books in an HTML unordered list
- For each book, first display its title, and then display its sections in an HTML ordered list
- For each section, first display its title, and then display its subsections in an HTML ordered list

```
<xsl:template match="title">
  <xsl:value-of select="normalize-space(.)"/>
</xsl:template>
<xsl:template match="section">
  <li>
    <xsl:apply-templates select="title"/>
    <ol><xsl:apply-templates select="section"/></ol>
  </li>
</xsl:template>
  <xsl:apply-templates select="xpath_expr"/>
  applies templates recursively to the node-set
  returned by xpath_expr
```

(Continue on next slide)

---

---

---

---

---

---

---

---

## Example continued

14

```
<xsl:template match="book">
  <li>
    <xsl:apply-templates select="title"/>
    <ol><xsl:apply-templates select="section"/></ol>
  </li>
</xsl:template>
<xsl:template match="bibliography">
  <html>
    <head><title>Bibliography</title></head>
    <body>
      <ul><xsl:apply-templates select="book"/></ul>
    </body>
  </html>
</xsl:template>
```

### ❖ One problem remains

- Even if a book or a section has no sections, we will still generate an empty <ol></ol> element

---

---

---

---

---

---

---

---

## <xsl:if>

15

### ❖ A fix using <xsl:if>: replace

```
<ol><xsl:apply-templates select="section"/></ol>
with
<xsl:if test="section">
  <ol><xsl:apply-templates select="section"/></ol>
</xsl:if>
```

- ### ❖ The body of <xsl:if test="xpath\_cond"> is processed only if *xpath\_cond* evaluates to true

---

---

---

---

---

---

---

---

## White space control

16

### ❖ White space is everywhere in XML

```
... ..
<book ISBN="ISBN-10" price="80.00">
  <title>
    Foundations of Databases
  </title>
  ... ..
```

- " " goes into a text node
- "Foundations of Databases" goes into another text node

### ❖ Specify `<xsl:strip-space elements="*" />` to remove text nodes (under any element) containing only white space

- ### ❖ To strip leading and trailing white space and replace any sequence of white space characters by a single space, specify `<xsl:template match="text()">` `<xsl:value-of select="normalize-space()" />` `</xsl:template>`

---

---

---

---

---

---

---

---

## `<xsl:for-each>`

17

### ❖ `<xsl:for-each select="xpath_expr">`

```
  body
</xsl:for-each>
```

- Process *body* for each node in the node-set returned by *xpath\_expr*
- Processing context changes to the node being processed

### ❖ Another way to render authors as a comma-separated list

```
<xsl:template match="book">
  ... ..
  <xsl:for-each select="author">
    <xsl:if test="position()>1">, </xsl:if>
    <xsl:value-of select="normalize-space(.)" />
  </xsl:for-each>
  ... ..
</xsl:template>
```

---

---

---

---

---

---

---

---

## Named templates with parameters

18

### ❖ Define a generic template for rendering a list of things as a comma-separated list

- Cannot use `match` because we do not know in advance the things to render

```
<xsl:template name="comma-separated-list">
  <xsl:param name="things-to-be-formatted" />
  <xsl:for-each select="$things-to-be-formatted">
    <xsl:if test="position()>1">, </xsl:if>
    <xsl:value-of select="normalize-space(.)" />
  </xsl:for-each>
</xsl:template>
```

---

---

---

---

---

---

---

---

## Calling templates & passing parameters

### ❖ Use the generic template

```
<xsl:template match="book">
  <xsl:value-of select="normalize-space(title)"/>
  <xsl:text> </xsl:text>
  <xsl:call-template name="comma-separated-list">
    <xsl:with-param name="things-to-be-formatted"
      select="author"/>
  </xsl:call-template>
  <br/>
</xsl:template>
```

### ❖ <xsl:with-param name="*para\_name*" select="*xpath\_expr*"> evaluates *xpath\_expr* and passes its result as the value of the parameter *para\_name*

### ❖ <xsl:call-template> invokes the named template without changing the context

---

---

---

---

---

---

---

---

---

---

## XSLT summary

### ❖ Used often as a stylesheet language, but can be considered a query language too

- Very expressive, with full recursion
  - Cannot be replaced by XQuery?
    - Well, XQuery actually support user-defined functions, which can be recursive
- Easily non-terminating, difficult to optimize
  - Cannot replace XQuery

### ❖ So many features, so little time! 😊

---

---

---

---

---

---

---

---

---

---

## Review

- ❖ XML: tree (or graph)-structured data
- ❖ DTD: simple schema for XML
  - Well-formed XML: syntactically correct
  - Valid XML: well-formed and conforms to a DTD
- ❖ XPath: path expression language for XML
  - An XPath expression selects a list of nodes in an XML document
  - Used in other languages
- ❖ XQuery: SQL-like query language for XML
  - FLWOR expression, quantified expression, aggregation, etc.
- ❖ XSLT: stylesheet language for XML, in XML
  - Transforms input XML by applying template rules recursively on the structure of input XML

---

---

---

---

---

---

---

---

---

---

## XML API's

- ❖ SAX (Simple API for XML)
  - Started out as a Java API, but now exists for other languages too
  - Streaming input; callbacks for events (start/end of document and elements, chunk of characters, etc.)
- ❖ DOM (Document Object Model)
  - Language-neutral API with implementations in Java, C++, etc.
  - Converts input into a main-memory tree; supports tree traversal, construction, and in-place modification
- ❖ JAXB (Java Architecture for XML Binding)
  - XML Schema to Java objects

---

---

---

---

---

---

---

---